

Bibliographie cours hanche :

- 1) Bullock-Saxton J. Local sensation changes and altered hip muscle function following severe ankle sprain. *Phys Ther.* 1994;74:17–28
- 2) Diamond LE, Dobson FL, Bennell KL, et al ; Physical impairments and activity limitations in people with femoroacetabular impingement: a systematic review ; *Br J Sports Med* 2015;49:230-242.
- 3) Gabriel Peixoto Leão Almeida ; Does anterior knee pain severity and function relate to the frontal plane projection angle and trunk and hip strength in women with patellofemoral pain? : [July 2015](#) Volume 19, Issue 3, Pages 558–564
- 4) Suzuki H, Omori G, Uematsu D, Nishino K, Endo N. The influence of hip strength on knee kinematics during a single-legged medial drop landing among competitive collegiate basketball players. *Int J Sports Phys Ther.* 2015; 10: 592– 601
- 5) Prins MR, van der Wurff P. Females with patellofemoral pain syndrome have weak hip muscles: a systematic review. *Aust J Physiother.* 2009; 55: 9– 15.
- 6) Magalhães E, Silva AP, Sacramento SN, Martin RL, Fukuda TY. Isometric strength ratios of the hip musculature in females with patellofemoral pain: a comparison to pain-free controls. *J Strength Cond Res.* 2013; 27: 2165– 2170
- 7) [Gabriel Peixoto Leão Almeida, PT, MS](#) ; Reliability and Validity of the Hip Stability Isometric Test (HipSIT): A New Method to Assess Hip Posterolateral Muscle Strength ; *Journal of Orthopaedic & Sports Physical Therapy*, 2017 Volume:47 Issue:12 Pages:906–913
- 8) Keelan enseki & all ; Nonarthritic Hip Joint Pain Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability and Health From the Orthopaedic Section of the American Physical Therapy Association ; *J Orthop Sports Phys Ther.* 2014;44(6):A1-A32.  
doi:10.2519/jospt.2014.0302
- 9) João L. ElleraGomesM.D & all ; Decreased Hip Range of Motion and Noncontact Injuries of the Anterior CruciateLigament ; [Volume 24, Issue 9](#), September 2008, Pages 1034-1037
- 10) [Anders Troelsen, Inger Mechlenburg](#) & al ; What is the role of clinical tests and ultrasound in acetabular labral tear diagnostics? ; [Acta Orthop.](#) 2009 Jun 5; 80(3): 314–318.
- 11) Martin RL, et al ; The interrater reliability of 4 clinical tests used to assess individuals with musculoskeletal hip pain ; *J Orthop Sports Phys Ther.* 2008
- 12) [Fishman LM<sup>1</sup>, Dombi GW](#)Piriformis syndrome: diagnosis, treatment, and outcome--a 10-year study ; [Arch Phys Med Rehabil.](#) 2002 Mar;83(3):295-301.
- 13) [Pace JB, Nagle D.](#) Piriform syndrome. [West J Med.](#) 1976 Jun;124(6):435-9.
- 14) [Kevork Hopayan](#) & all ; The clinical features of the piriformis syndrome: a systematic review ; [Eur Spine J.](#) 2010 Dec; 19(12): 2095–2109
- 15) Nepple JJ, Goljan P, Briggs KK, Garvey SE, Ryan M, Philippon MJ. Hip strength deficits in patients with symptomatic femoroacetabular impingement and labral tears. *Arth*

- 16) Reiman MP, Goode AP, Cook CE & al ;Diagnostic accuracy of clinical tests for the diagnosis of hip femoroacetabular impingement/labral tear: a systematic review with meta-analysis Br J Sports Med 2015;49:811.
- 17) Freke MD, Kemp J, Svege I, et al ; Physical impairments in symptomatic femoroacetabular impingement: a systematic review of the evidence ; Br J Sports Med 2016;50:1180.
- 18) [Friel K<sup>1</sup>](#), [McLean N](#), [Myers C](#), [Caceres M](#) ; Ipsilateral hip abductor weakness after inversion ankle sprain ; [J Athl Train](#). 2006 Jan-Mar;41(1):74-8.
- 19) Fitzgerald RH Jr ; Acetabular labrum tears. Diagnosis and treatment ; Clin Orthop Relat Res. 1995.
- 20) Springer BA, et al ; Acetabular labral tears: diagnostic accuracy of clinical examination by a physical therapist, orthopaedic surgeon, and orthopaedic residents ; N Am J Sports Phys Ther. 2009.
- 21) [Sutlive TG](#), [Lopez HP](#) & al ; Development of a clinical prediction rule for diagnosing hip osteoarthritis in individuals with unilateral hip pain ; [J Orthop Sports Phys Ther](#). 2008 Sep;38(9):542-50.
- 22) Dylan Morrissey ; Guidelines and Pathways for Clinical Practice in Tendinopathy: Their Role and Development ; J Orthop Sports Phys Ther 2015;45(11):819-822
- 23) Treatment of the Sportsman's groin': British Hernia Society's 2014 position statement based on the Manchester Consensus Conference
- 24) Which factors differentiate athletes with hip/groin pain from those without? A systematic review with meta-analysis
- 25) Is lower hip range of motion a risk factor for groin pain in athletes? A systematic review with clinical applications
- 26) Athletic groin pain (part 1): a prospective anatomical diagnosis of 382 patients—clinical findings, MRI findings and patient-reported outcome measures at baseline
- 27) Athletic groin pain (part 2): a prospective cohort study on the biomechanical evaluation of change of direction identifies three clusters of movement patterns
- 28) Is lower hip range of motion a risk factor for groin pain in athletes? A systematic review with clinical applications
- 29) Athletic groin pain: a systematic review of surgical diagnoses, investigations and treatment
- 30) Anne-Marie van Beijsterveldt & all ; risk factor for groin injuries in elite male soccer player ; Br J Sports Med 2017;51:400
- 31) Fishman LM, Dombi GW, Michaelsen C, et al. Piriformis syndrome: diagnosis, treatment, and outcome--a 10-year study. Arch Phys Med Reha- bil. 2002;83:295-301.
- 32) E.C. Papadopoulos & all ; Piriformis Syndrome ; AUGUST 2004 | Volume 27 • Number 8
- 33) [Cox J](#) ; Effectiveness of Acupuncture Therapies to Manage Musculoskeletal Disorders of the Extremities: A Systematic Review ; [J Orthop Sports Phys Ther](#). 2016 Jun;46(6):409-29
- 34) [Macke C](#) ; [Tendinopathies of the hip : Treatment recommendations according to evidence-based medicine] ; [Unfallchirurg](#). 2017 Mar;120(3):192-198

- 35) [Vassalou EE](#) & all; Piriformis muscle syndrome: A cross-sectional imaging study in 116 patients and evaluation of therapeutic outcome ; [Eur Radiol](#). 2018 Feb;28(2):447-458
- 36) Evrim Coflun ÇELİK & all ; An Overview to the Piriformis Syndrome ; Türk Nöroşirürji Dergisi, 2010, Cilt: 20, Sayı: 1, 30-35
- 37) Hallin RP. Sciatic pain and the piriformis muscle. Postgrad Med. 1983;74:69-72
- 38) Barton PM. Piriformis syndrome: a rational ap- proach to management. Pain. 1991;47:345352
- 39) Kim SA, Oh KY, Choi WH, Kim IK. [Ischemic compression after trigger point injection affect the treatment of myofascial trigger points](#). Ann Rehabil Med 2013; 37: 541-6
- 40) Liu L, Huang QM, Liu QG, Ye G, Bo CZ, Chen MJ, Li P. Effectiveness of Dry Neeedling for Myofascial Trigger Points Associated with Neck and Shoulder Pain: A Systematic Review and Meta-analysis. Arch Phys Med Rehabil. 2015 Jan 7
- 41) [Tsikopoulos K](#) & all ; The clinical impact of platelet-rich plasma on tendinopathy compared to placebo or dry needling injections: A meta-analysis ; [Phys Ther Sport](#). 2016 Jan;17:87-94
- 42) Rodrigo Núñez-Cortés ; Short-term clinical effects of dry needling combined with physical therapy in patients with chronic post-surgical pain following total knee arthroplasty: Case Series ; Journal of Orthopaedic & Sports Physical Therapy 2017. [doi: 10.2519/jospt.2017.7089](#)
- 43) <http://www.dgs-academy.com/fr/>
- 44) [Fosco De Paulis](#) ; Reliability and validity of three pain provocation tests used for the diagnosis of chronic proximal hamstring tendinopathy ; J Orthop Sports Phys Ther 2013;43(4):222–231.
- 45) [Michael P. Reiman, PT, DPT, OCS, SCS, ATC, FAOOMP, CSCS<sup>1</sup>, Janice K. Loudon, PT, PhD, SCS, ATC, CSCS<sup>1</sup>, Adam P. Goode, PT, DPT, PhD<sup>1</sup>](#) Diagnostic Accuracy of Clinical Tests for Assessment of Hamstring Injury: A Systematic Review Journal of Orthopaedic & Sports Physical Therapy, 2013 Volume:43 Issue:4 Pages:222–231
- 46) Lesher JD, et al. Development of a clinical prediction rule for classifying patients with patellofemoral pain syndrome who respond to patellar taping ; J Orthop Sports Phys Ther. 2006.
- 47) Burgess RM, et al. ; The validity and accuracy of clinical diagnostic tests used to detect labral pathology of the hip: a systematic review ; Man Ther. 2011.
- 48) [Narvani AA<sup>1</sup>, Tsiridis E](#) ; A preliminary report on prevalence of acetabular labrum tears in sports patients with groin pain ; [Knee Surg Sports Traumatol Arthrosc](#). 2003 Nov;11(6):403-8. Epub 2003 Jul 26.
- 49) J Peeler & all Reliability of the Thomas test for assessing range of motion about the hip Physical Therapy in Sport January 2009 DOI 10.1016/j.ptsp.2006.09.023
- 50) [Jason D Peeler](#) & al ; Reliability Limits Of The Modified Thomas Test For Assessing Rectus Femoris Muscle Flexibility About The Knee Joint ; [J Athl Train](#). 2008 Sep-Oct; 43(5): 470–476.
- 51) Rees JD, Wolman RL, Wilson A ; Eccentric exercises; why do they work, what are the problems and how can we improve them? ; *British Journal of Sports Medicine* 2009;**43**:242-246.
- 52) Cook J ; In search of the tendon holy grail: predictable clinical outcomes ; *British Journal of Sports Medicine* 2009;**43**:235.

- 53) Allison GT, Purdam C ; Eccentric loading for Achilles tendinopathy — strengthening or stretching? ; *British Journal of Sports Medicine* 2009;**43**:276-279.
- 54) Alfredson H, Cook J ; A treatment algorithm for managing Achilles tendinopathy: new treatment options ; *British Journal of Sports Medicine* 2007;**41**:211-216.
- 55) Grimaldi A, Mellor R, Vicenzino B, et al ; 66 Gluteal Tendinopathy – Clinical Diagnosis Vs. MRI Diagnosis? ; *Br J Sports Med* 2014;**48**:A43.
- 56) Allison K, Bennell K, Vicenzino B, et al ; 10 Hip Abductor Strength In Individuals With Gluteal Tendinopathy: A Cross-sectional Study ; *Br J Sports Med* 2014;**48**:A6-A7.
- 57) Grimaldi A, Mellor R, Nicolson P, et al ; Utility of clinical tests to diagnose MRI-confirmed gluteal tendinopathy in patients presenting with lateral hip pain ; *Br J Sports Med* 2017;**51**:519-524.
- 58) Davis JA, Stringer MD, Woodley SJ ; New insights into the proximal tendons of adductor longus, adductor brevis and gracilis ; *Br J Sports Med* 2012;**46**:871-876.
- 59) Abe T, Kumagai K, Brechue WF., Fascicle length of leg muscles is greater in sprinters than distance runners, *Med Sci Sports Exerc.* 2000 Jun;32(6):1125-9.
- 60) Andersen JL, Aagaard P. Myosin heavy chain IIX overshoot in human skeletal muscle. *Muscle Nerve.* 2000 Jul;23(7):1095-104
- 61) Fluck M, Hoppeler H. Molecular basis of skeletal muscle plasticity from gene to form and function. *Rev Physiol Biochem Pharmacol.* 2003;146:159-216. Epub 2003 Jan 14. Review.
- 62) Friden J., (1984) Muscle soreness after exercise; implication of morphological changes, *Int. J. Sports Medecine*, 5, 57-58.
- 63) [Häkkinen K](#) & all ; Neuromuscular adaptations during concurrent strength and endurance training versus strength training ; [Eur J Appl Physiol.](#) 2003 Mar;89(1):42-52. Epub 2002 Dec 14
- 64) Cormie P ; Influence of strength on magnitude and mechanisms of adaptation to power training ; [Med Sci Sports Exerc.](#) 2010 Aug;42(8):1566-81
- 65) Newton RU ; Effects of ballistic training on preseason preparation of elite volleyball players ; [Med Sci Sports Exerc.](#) 1999 Feb;31(2):323-30.
- 67) [Burgess KE](#) ; Plyometric vs. isometric training influences on tendon properties and muscle output ; [J Strength Cond Res.](#) 2007 Aug;21(3):986-9.
- 68) [Kubo K](#) ; Effects of isometric training on the elasticity of human tendon structures in vivo ; [J Appl Physiol \(1985\).](#) 2001 Jul;91(1):26-32.
- 69) [Vila-Chă C](#) ; Changes in H reflex and V wave following short-term endurance and strength training ; [J Appl Physiol \(1985\).](#) 2012 Jan;112(1):54-63
- 70) [Michaël Van Cutsem](#) ; Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans ; [J Physiol.](#) 1998 Nov 15; 513(Pt 1): 295–305
- 71) [Blazevich AJ](#) ; Changes in muscle force-length properties affect the early rise of force in vivo ; [Muscle Nerve.](#) 2009 Apr;39(4):512-20
- 72) [Aagaard P](#) : Increased rate of force development and neural drive of human skeletal muscle following resistance training ; [J Appl Physiol \(1985\).](#) 2002 Oct;93(4):1318-26

